



A1: Cement and silica crystalline based product

Section 1. Identification		
Product identifier	GROUT MIX	
	SPREAD'N BOND	
	CONCRETE MIX	
	HYPERCRETE	
	FREESET	
	HR8000	
	POSTMIX30	
	SAND MIX	
	MORTAR MIX	
	PARGEMIX	
	PERMAGLASS	
Other means of identification	10.06 - GROUT MIX ; 10.08 - SPREAD'N BOND	
	10.04 - CONCRETE MIX ; 10.14 - HYPERCRETE ; 10.13 - FREESET	
	10.03 - HR8000 ; 10.10 - POSTMIX30 ; 10.05 - SAND MIX	
	10.07 - MORTAR MIX ; 10.09 - PARGEMIX ; 13.10 PERMAGLASS	
Recommended use and restrictions on use 10.06 - Non-shrink anchoring grout; 10.08 - Polymer modified resurfacing mortar; 10.		
	Concrete mix for general use ;10.14 - Fast setting multi-purpose concrete ;10.13 - 5 minutes	
	setting concrete for posts; 10.03 - High resistance concrete; 10.10 - Fast setting concrete for	
	posts; 10.05 - Sand mix; 10.07 - Mortar mix; 10.09 - Ultra-bond parging mix	
Initial supplier identifier	Les Produits Daubois Inc. 6155 boul. des Grandes-Prairies, St-Léonard (Québec) H1P 1A	
	Tel. 514-328-1253	
Emergency telephone number/restriction	Canada – CANUTEC 613-996-6666	
on use		
Section 2. Hazard identification		

Section 2. Hazard identification

Classification of hazardous product (name of the category or subcategory of the hazard class)

Skin corrosion (Category 1C)

Eye damage (Category 1)

Carcinogenicity (Category 1)

Specific target organ toxicity – repeated exposure (Category 1), Organs

Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)





DANGER

When this product is humid or mixed with water – H314 Causes severe skin burns and eye damage.

H350 May cause cancer.

H372 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation).

P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dusts or mists. P264 Wash hands/nails/face thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations. P308+P313 IF exposed or concerned: Get medical attention. P314 Get medical attention if you feel unwell. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P363 Wash contaminated clothing before reuse. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P310 Immediately call a doctor.

Other hazards	None		
known			
Section 3. Composition/information on ingredients			
Chemical name	(common name/synonyms)	CAS number or other	Concentration (%)
Portland Cement	t	65997-15-1	10-40
Silica, Crystalline (Quartz)/Sand 14808-60-7 0.1-5		0.1-5	
Section 4. First-aid measures			
Inhalation	IF INHALED: Remove person to fresh air and	d keep comfortable for breathing. Immediately call	l a doctor.





IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two		
IF ON SKIN (or hair): Take off immediately a	Il contaminated clothing. Rinse skin with water. (15-20 minutes).	
	several minutes. (15-20 minutes). Remove contact lenses, if present and easy to	
do. Continue rinsing. Immediately call a docto	r.	
symptoms and effects (acute or delayed)	Eye and skin damage.	
nediate medical attention/special	In all cases, call a doctor. Do not forget this document.	
_		
Section 5. Fire-fighting measures		
Specific hazards of the hazardous product (hazardous combustion products)		
d other irritant/toxic gases and fumes.		
uitable extinguishing media		
In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.		
Special protective equipment and precautions for fire-fighters		
During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear		
proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or		
bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to		
heat and flame.		
relier	apidly losing consciousness, or is unconsciouslasses of water. If vomiting occurs naturally, F ON SKIN (or hair): Take off immediately a F IN EYES: Rinse cautiously with water for lo. Continue rinsing. Immediately call a doctory of the hazardous product (hazardous combouter irritant/toxic gases and fumes. Continue rinsing are section 5. Section 5. Of the hazardous product (hazardous combouter irritant/toxic gases and fumes. Continue rinsing media example and recautions for fire-fightenting/toxic smoke and fumes may be generated quipment and self-contained breathing apparated	

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).

Methods and materials for containment and cleaning up

Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

Section 7. Handling and storage

Precautions for safe handling

Wear gloves/protective clothing/eye protection/face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

Section 8. Exposure controls/Personal protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: CAS 14808-60-7 ACGIH – TLV-TWA 0.025 mg/m³ & PEL-TWA 0.1 mg/m³

Appropriate engineering controls

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.

Section 9. Physical and chemical properties			
Appearance, physical state/colour	White to gray powder	Vapour pressure	Not available
Odour	Odourless	Vapour density	Not available





Odour threshold	Not available	Relative density	Not available
pН	> 11	Solubility	Slightly
Melting/freezing point	Not available	Partition coefficient –	Not available
		n-octanol/water	
Initial boiling point/range	Not available	Auto-ignition temperature	Not available
Flash point	Not available	Decomposition temperature	Not available
Evaporation rate	Not available	Viscosity	Not available
Flammability	Not available	VOC	Not available
(solids and gases)			
Upper and lower flammability/explosive	Not available	Other	None known
limits			

Section 10. Stability and reactivity

Reactivity

Does not react under the recommended storage and handling conditions prescribed.

Chemical stability

Stable under the recommended storage and handling conditions prescribed.

Possibility of hazardous reactions

None known.

Conditions to avoid (static discharge, shock or vibration)

None known.

Incompatible materials

Oxidizing materials; strong acids; some metals; etc.

Hazardous decomposition products

None known

Section 11. Toxicological information

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)

When this product is humid or mixed with water – Causes severe skin burns and eye damage. May cause cancer. Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation).

Symptoms related to the physical, chemical and toxicological characteristics

Skin irritation, redness, stinging, pain; Eye irritation, redness, tearing.

Delayed and immediate effects (chronic effects from short-term and long-term exposure)

Skin Sensitization – No data available; Respiratory Sensitization – No data available; Germ Cell Mutagenicity – No data available; Carcinogenicity – CAS 14808-60-7 is an ingredient listed by IARC, ACGIH, NTP or OSHA Reproductive Toxicity – No data available; Specific Target Organ Toxicity — Single Exposure – No data available; Specific Target Organ Toxicity — Repeated Exposure – Possible; Aspiration Hazard – No data available; Health Hazards Not Otherwise Classified – No data available.

Numerical measures of toxicity (ATE; LD₅₀ & LC₅₀)

LD₅₀ Oral - Rat - None; LC₅₀ Inhalation - Rat - None 4 h; LD₅₀ Dermal - Rabbit - None

ATE not available in this document.

Ecotoxicity (aquatic and terrestrial information)

No data available for the product.

Persistence and degradability	No data available
Bioaccumulative potential	No bioaccumulation is to be expected.
Mobility in soil	No data available
Other adverse effects	No data available for the product.

Section 13. Disposal considerations

Information on safe handling for disposal/methods of disposal/contaminated packaging

Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Section 14. Transport information

UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG/49 CFR Regulations

NOT REGULATED

UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)

NOT REGULATED

UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)

NOT REGULATED



reproductive harm.



Special precautions (transport/conveyance)	None	
Environmental hazards (IMDG or other)	None	
Bulk transport (usually more than 450 L in capacity)	Possible	
Section 15. Regulatory information		
Safety/health Canadian regulations specifics Refer	to Section 2 for the appropriate classification. This product has been classified in	
accord	dance with the hazard criteria of the Hazardous Products Regulations (HPR).	
Environmental Canadian regulations specifics Refer to Section 3 for ingredient(s) of the DSL		
Safety/health/environmental outside regulations specifics		
United States OSHA information: This product is regulated according to OSHA (29 CFR).		
United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14		
United States TCSA information: Refer to the ingredients listed in Section 3.		
National Fire Protection Association (NFPA):		
HEALTH: 3 FLAMMABILITY: 0 INSTABILITY: 0 SPECIAL HAZARDS: Refer to Section 2 & 3.		
HAZARD SCALE: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe		
California Proposition 65: This product contains Silica, Crystalline (Quartz) that is known to the State of California to cause cancer or		

	Section 16. Other information		
Date of the latest revision of the safety data sheet January 30, 2017 version 1 (NSS ENTREPRISE INC.)			
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.		
Abbreviations			
ACGIH	American Conference of Governmental Industrial Hygienists		
ATE	Acute toxicity estimate		
CAS	Chemical Abstract Service		
CFR	Code of Federal Regulations		
DSL	Domestic Substance List		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods Code		
LC	Lethal concentration		
LD	Lethal Dosage		
NIOSH	National Institute for Occupational Safety and Health		
NTP	National Toxicology Program (U.S.A.)		
OSHA	Occupational Safety and Health Administration (U.S.A.)		
PEL	Permissible Exposure Limit		
STEL	Short-term Exposure Limit		
TDG	Transport of dangerous goods in Canada		
TLV	Threshold Limit Value		
TSCA	Toxic Substances Control Act		
TWA	Time Weighted Average		
WHMIS	Workplace Hazardous Materials Information System		

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.